

# Recommended Xerox Materials for DocuColor 5750/ Office 6

**For use in the USA and Canada**

**Revision 2.3, Publish Date: Sept. 27th, 2002**

Last Revision 2.2 was published on July 3rd, 2002

For the most recent version of this quarterly published document, visit [www.xdss.com](http://www.xdss.com), select "Free Downloads", then "Color".

## Important Note:

Media recommendations made in this publication are based on qualification tests\* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

\* Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 20-40%.

Machine reliability specifications may be affected by increased usage of Thick Paper mode. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox Sales or Service representative can advise you on using Thick Paper mode or special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to the Color Material Usage Guide (reorder number 701P34322) that comes with your equipment.

© 2001 Xerox Corporation. All rights reserved.

Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

**Xerox Recommended Material List (US and Canada)**

For the most recent version of this document, visit [www.xdss.com/](http://www.xdss.com/) select "Free Downloads", then "Color".

Internal Trays: Normal (Plain Paper) Mode ( 60-105 gsm)	<input type="checkbox"/>
Bypass Tray: Normal (Plain)	<input type="checkbox"/>
Heavyweight (Thick) Mode (106-163gsm)	<input type="checkbox"/>
Extra Heavyweight (Thick 2) Mode (164-203gsm)	<input type="checkbox"/>
Transparency	<input type="checkbox"/>
Label	<input type="checkbox"/>

**DC5750/ Office 6**

**A= Auto Duplex M=Manual Duplex  
S=Simplex  
PCW=Post Consumer Waste**

Media	Mode	Weight	Re-Order #	Type	Size	Internal	Bypass	Additional Information
Xerox Digital Color Xpressions +	Normal Mode	90 gsm/24 lb	3R11380		8.5 x 11	S	M	
			3R11381 (3 Hole)		8.5 x 11	S	M	
			3R11382		8.5 x 14	S	M	
			3R11383		17 x 11	S	M	
	Heavyweight Mode	105gsm / 28 lb	3R11385		8.5 x 11	S	M	
			3R11386		17 x 11	S	M	
		120gsm / 32 lb	3R11387		8.5 x 11		M	
			3R11388		17 x 11		M	
			3R11389		18 x 12		M	
		163gsm / 60 lb	3R11390		8.5 x 11		M	
			3R11391		17 x 11		M	
			3R11384		18 x 12		M	
Xerox Digital Color Xpressions 98' (Ultra White)	Normal Mode	105gsm/ 28lb	3R5529		8.5 x 11	S	M	PCW=20%
			3R5530		17 x 11	S	M	
			3R5531		18 x 12		M	
	Heavyweight Mode	163gsm/ 60lb	3R6385		8.5 x 11		M	PCW=20%
			3R6386		17 x 11		M	
			3R6387		18 x 12		M	
	Extra Heavyweight Mode	175gsm/ 65lb	3R5533		8.5 x 11		M	PCW=20%
			3R5534		17 x 11		M	
			3R5535		18 x 12		M	
		215gsm/ 80lb	3R5537		8.5 x 11		M	
			3R5538		17 x 11		M	
			3R5539		18 x 12		M	

**Xerox Recommended Material List (US and Canada)**

For the most recent version of this document, visit [www.xdss.com/](http://www.xdss.com/) select "Free Downloads", then "Color".

Internal Trays: Normal (Plain Paper) Mode ( 60-105 gsm)	<input type="checkbox"/>
Bypass Tray: Normal (Plain)	<input type="checkbox"/>
Heavyweight (Thick) Mode (106-163gsm)	<input type="checkbox"/>
Extra Heavyweight (Thick 2) Mode (164-203gsm)	<input type="checkbox"/>
Transparency	<input type="checkbox"/>
Label	<input type="checkbox"/>

**DC5750/ Office 6**

**A= Auto Duplex M=Manual Duplex  
S=Simplex  
PCW=Post Consumer Waste**

Media	Mode	Weight	Re-Order #	Type	Size	Internal	Bypass	Additional Information			
Xerox Digital Color Graphics	Normal Mode	105gsm/ 28lb	3R11164	Cream White	8.5 X 11	S	M	PCW=30%			
			3R11168		17 x 11	S	M				
			3R11172		18 x 12		M				
			3R11165	Warm White	8.5 X 11	S	M				
			3R11169		17 x 11	S	M				
			3R11173		18 x 12		M				
			3R11166	White Fiber	8.5 X 11	S	M				
			3R11170		17 x 11	S	M				
			3R11174		18 x 12		M				
			3R11167	Cream Fiber	8.5 X 11	S	M				
			3R11171		17 x 11	S	M				
			3R11175		18 x 12		M				
			Extra Heavyweight Mode	215gsm/ 80lb	3R11176	Cream	8.5 X 11			M	PCW=All 30%
					3R11180	White	17 x 11			M	
					3R11184	Cover	18 x 12			M	
	3R11177	Warm			8.5 X 11		M				
	3R11181	White			17 x 11		M				
	3R11185	Cover			18 x 12		M				
	3R11178	White			8.5 X 11		M				
	3R11182	Fiber			17 x 11		M				
	3R11186	Cover			18 x 12		M				
	3R11179	Cream	8.5 X 11		M						
	3R11183	Fiber	17 x 11		M						
	3R11187	Cover	18 x 12		M						

**Xerox Recommended Material List (US and Canada)**

For the most recent version of this document, visit [www.xdss.com/](http://www.xdss.com/) select "Free Downloads", then "Color".

Internal Trays: Normal (Plain Paper) Mode ( 60-105 gsm)	<input type="checkbox"/>
Bypass Tray: Normal (Plain)	<input type="checkbox"/>
Heavyweight (Thick) Mode (106-163gsm)	<input type="checkbox"/>
Extra Heavyweight (Thick 2) Mode (164-203gsm)	<input type="checkbox"/>
Transparency	<input type="checkbox"/>
Label	<input type="checkbox"/>

**DC5750/ Office 6**

**A= Auto Duplex M=Manual Duplex  
S=Simplex  
PCW=Post Consumer Waste**

Media	Mode	Weight	Re-Order #	Type	Size	Internal	Bypass	Additional Information
Xerox Digital Color Super Gloss Coated	Heavyweight Mode	8pt./ 160gsm	3R6290		8.5 X 11		M	Select Coated Paper. For limited duplex, print the uncoated side <u>first</u> with text or light area coverage.
			3R6291		17 x 11		M	
			3R6292		18 x 12		M	
Xerox Digital Color Super Gloss Coated	Extra Heavyweight Mode	10pt./ 210gsm	3R6293		8.5 X 11		M	Select Coated Paper. For limited duplex, print the uncoated side <u>first</u> with text or light area coverage.
			3R6294		17 x 11		M	
			3R6295		18 x 12		M	
Xerox Digital Colour Coated Cover (C1S)-Canada Only	Heavyweight Mode	8pt/ 180gsm	3R13031		8.5 X 11		M	Select Coated Paper. For limited duplex, print the uncoated side <u>first</u> with text or light area coverage.
			3R13032		17 x 11		M	
			3R13033		18 x 12		M	
Xerox Digital Colour Coated Cover (C1S)-Canada Only	Extra Heavyweight Mode	10pt./ 220gsm	3R13034		8.5 X 11		M	Select Coated Paper. For limited duplex, print the uncoated side <u>first</u> with text or light area coverage.
			3R13035		17 x 11		M	
			3R13036		18 x 12		M	
Xerox Digital Color Super Gloss Trifold Brochure (C1S)	Heavyweight Mode	8pt./ 160gsm	3R6348		8.5 X 11		M	Select Coated Paper. Short Edge Feed in the Bypass Tray.
Xerox Digital Color Trifold Brochures	Heavyweight Mode	120gsm / 32lb	3R12310		8.5 X 11		M	Short Edge Feed in the Bypass Tray.
Xerox Digital Color Super Gloss Greeting Card (C1S)	Extra Heavyweight	10pt./ 210gsm	3R6340		8.5 X 11		M	Select Coated Paper. Short Edge Feed in the Bypass Tray. Duplex text or light-coverage areas only.
Xerox Index Stock	Heavyweight Mode	163gsm/ 90lb	3R3004		8.5 X 11		M	Black & White Copies Only.
			3R5102		11 x 17		M	

**Xerox Recommended Material List (US and Canada)**

For the most recent version of this document, visit [www.xdss.com/](http://www.xdss.com/) select "Free Downloads", then "Color".

Internal Trays: Normal (Plain Paper) Mode ( 60-105 gsm)	<input type="checkbox"/>
Bypass Tray: Normal (Plain)	<input type="checkbox"/>
Heavyweight (Thick) Mode (106-163gsm)	<input type="checkbox"/>
Extra Heavyweight (Thick 2) Mode (164-203gsm)	<input type="checkbox"/>
Transparency	<input type="checkbox"/>
Label	<input type="checkbox"/>

**DC5750/ Office 6**

**A= Auto Duplex M=Manual Duplex  
S=Simplex  
PCW=Post Consumer Waste**

Media	Mode	Weight	Re-Order #	Type	Size	Internal	Bypass	Additional Information
Xerox One- Step Transfer Paper	Heavyweight Mode		3R5811		8.5 X 11		S	One-Step Transfer Paper Moded
			3R5812		11 x 17		S	
Xerox Digital Color Xpressions Gloss Coated Labels	Label Mode		3R5770	1- up	8.5 X 11		S	
			3R5771	4-up	8.5 X 11		S	
			3R6324	10-up	8.5 X 11		S	
			3R6325	30-up	8.5 X 11		S	
			3R6320	VCR	8.5 X 11		S	
			3R6322	CD-ROM	8.5 X 11		S	
Xerox Digital Color Xpressions Matte Coated Labels	Label Mode		3R5772	1- up	8.5 X 11		S	PCW=10%
			3R5773	4-up	8.5 X 11		S	
			3R6332	10-up	8.5 X 11		S	
			3R6333	30-up	8.5 X 11		S	
			3R6328	VCR	8.5 X 11		S	
			3R6330	CD-ROM	8.5 X 11		S	
Xerox Bright White Labels	Label Mode		3R12177	1- up	8.5 X 11		S	PCW=20%
			3R12179	30-up	8.5 X 11		S	
Xerox High Speed Labels	Label Mode		3R4476	1- up	8.5 X 11		S	Black & White Copies Only.
			3R3146	6-up	8.5 X 11		S	
			3R4475	8-up	8.5 X 11		S	
			3R5719	14-up	8.5 X 11		S	
			3R4474	24-up	8.5 X 11		S	
			3R3139	33-up	8.5 X 11		S	
Xerox High Speed Labels (Clear)	Label Mode		3R5139	33-up	8.5 X 11		S	Black & White Copies Only.
Xerox Digital Color Transparency	Transparency Mode		3R5765		8.5 x 11		S	PCW=30% minimum
Xerox Removable Stripe Transparency	Transparency Mode		3R3108		8.5 x 11		S	PCW=25%
			3R5821		11 X 17		S	

**Xerox Recommended Material List (US and Canada)**

For the most recent version of this document, visit [www.xdss.com/](http://www.xdss.com/) select "Free Downloads", then "Color".

Internal Trays: Normal (Plain Paper) Mode ( 60-105 gsm) <input type="checkbox"/>				<b>DC5750/ Office 6</b>				<b>A= Auto Duplex M=Manual Duplex S=Simplex PCW=Post Consumer Waste</b>	
Bypass Tray: Normal (Plain) <input type="checkbox"/> Heavyweight (Thick) Mode (106-163gsm) <input type="checkbox"/> Extra Heavyweight (Thick 2) Mode (164-203gsm) <input type="checkbox"/>									
Transparency <input type="checkbox"/> Label <input type="checkbox"/>									
Media	Mode	Weight	Re-Order #	Type	Size	Internal	Bypass	Additional Information	
Xerox DocuPac Folders	Heavyweight Mode		3R4885		9 x 11		M	Select Coated Paper. Black & White Copies Only.	
Xerox Presentation Folder (C2S)	Extra Heavyweight Mode	8pt./ 200 gsm	3R5570		9 x 11		M	Select Coated Paper. PCW=10%	
Xerox One Step Transfer Paper	One Step Transfer Mode		3R5811		8.5 x 11		S		
			3R5812		11 X 17		S		