

Recommended Xerox Materials for DocuColor 12 LP/CP & DCCS50 (USA and Canada)

For use in the US and Canada

Revision 3.0, Publish Date: February, 2005

Last Revision 2.9 was published on October, 2004

Important Notes:

All media is listed by product, machine run mode, weight (standard gsm), re-order number, size, and tray runability. The additional information column is for hints and tips on how to run certain media applications.

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

* Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 20-40%.

*Machine reliability specifications may be affected by increased usage of Heavy Weight mode and Extra Heavy Weight mode. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox Sales or Service representative can advise you on using Heavy Weight mode, Extra Heavy Weight mode or special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to the Color Material Usage Guide (reorder number 701P34322) that comes with your equipment.

© 2001 Xerox Corporation. All rights reserved.

Xerox® and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

Media						Mode						Weight						Re-Order #						Type						Size						Trays						HCF						Additional Information											
Tray 1: Normal Mode (64-105gsm)						Trays 2,3,& 4: Normal (64-105gsm)						Tray 5: Normal (64-105gsm)						Extra Heavyweight (164-250gsm)						Tray 6 (HCF): Normal (64-105gsm)						DC12 LP/ CP DCCS50						A= Auto Duplex M=Manual duplex S=Simplex Only PCW=Post Consumer Waste ECF=Elemental Chlorine Free						Tray 5 Tip for Extra Heavyweight Paper: Select Short Edge Feed (SEF), if media jams on Long Edge Feed (LEF).																	
Media						Mode						Weight						Re-Order #						Type						Size						Trays						HCF						Additional Information											
Xerox Premium Multipurpose 4024						Normal						75 gsm / 20lb						3R721						8.5 x 11						A						A						Black/ White copies only.																	
																		3R727						8.5 x 14						A						A																							
																		3R729						11 x 17						A						A																							
Xerox Digital Color Xpressions +						Normal						90 gsm / 24lb						3R11380						8.5 x 11						A						A																							
																		3R11381(3 Hole)						8.5 x 11						A						A																							
																		3R11382						8.5 x 14						A						A																							
																		3R11383						17 x 11						A						A																							
						Normal						105gsm/ 28lb						3R11385						8.5 x 11						A						A																							
																		3R11386						17 x 11						A						A																							
						Heavyweight						120gsm/ 32lb						3R11387						8.5 x 11						S						S						Trays 2,3, & 4: Enable Heavyweight Mode. Tray 5: Side 2- Heavyweight Mode.																	
																		3R11388						17 x 11						S						S																							
																		3R11389						18 x 12						S						S																							
						Heavyweight						163gsm / 60lb						3R11390						8.5 x 11												M						Tray 5: Side 2- Heavyweight Mode.																	
																		3R11391						17 x 11												M																							
																		3R11384						18 x 12												M																							
Extra Heavyweight						215gsm/ 80lb						3R11395						8.5 x 11												M						Tray 5: Side 2 -Extra Heavyweight Mode																							
												3R11396						17 x 11												M																													
												3R11397						18 x 12												M																													
Xerox Digital Color Xpressions 98' (Ultra White)						Normal						105gsm/ 28lb						3R5529						8.5 x 11						A						A						PCW=30%																	
																		3R5530						17 x 11						A						A																							
																		3R5531						18 x 12						S						S																							
						Heavyweight						163gsm/ 60lb						3R6385						8.5 x 11												M						Tray 5: Side 2- Heavyweight Mode. PCW=30%																	
																		3R6386						17 x 11												M																							
																		3R6387						18 x 12												M																							
						Extra Heavyweight						175gsm/ 65lb						3R5533						8.5 x 11												M						Tray 5: Side 2-Extra Heavyweight Mode. PCW=30%																	
																		3R5534						17 x 11												M																							
																		3R5535						18 x 12												M																							
						Extra Heavyweight						215gsm/ 80lb						3R5537						8.5 x 11												M																							
																		3R5538						17 x 11												M																							
																		3R5539						18 x 12												M																							

Media						Trays						HCF	Additional Information					
Media	Mode	Weight	Re-Order #	Type	Size	1	2	3	4	5	6							
Tray 1: Normal Mode (64-105 gsm) <input type="checkbox"/> Trays 2,3,& 4: Normal (64-105gsm) <input type="checkbox"/> Heavyweight (106-128gsm) <input type="checkbox"/> Tray 5: Normal (64-105gsm) <input type="checkbox"/> Heavyweight (106-163gsm) <input type="checkbox"/> Extra Heavyweight (164-250gsm) <input type="checkbox"/> Transparency <input type="checkbox"/> Tray 6 (HCF): Normal (64-105gsm) <input type="checkbox"/> Heavyweight (106-163gsm) <input type="checkbox"/>						DC12 LP/ CP DCCS50						A= Auto Duplex M=Manual duplex S=Simplex Only PCW=Post Consumer Waste ECF=Elemental Chlorine Free						Tray 5 Tip for Extra Heavyweight Paper: Select Short Edge Feed (SEF), if media jams on Long Edge Feed (LEF).
Xerox Digital Color Parchment	Normal	90gsm/ 24lb	3R11244	White	8.5 x 11	A	A	A	A				Due to the unique surface patterns in Parchment paper, this product will exhibit image mottle as a design feature. PCW=30%					
			3R11245	Gold	8.5 x 11	A	A	A	A									
Xerox Digital Color Graphics	Normal	105gsm/ 28lb	3R11164	Cream White	8.5 x 11	A	A	A	A	M	A		PCW=30%					
			3R11168		17 x 11	A	A	A	M									
			3R11172		18 x 12	S	S	S	M									
			3R11165	Warm White	8.5 x 11	A	A	A	A	M	A							
			3R11169		17 x 11	A	A	A	M									
			3R11173		18 x 12	S	S	S	M									
	Extra Heavyweight	215gsm/ 80lb	3R11176	Cream White	8.5 x 11					M			Side 2- Extra Heavyweight Mode. PCW=30%					
			3R11180		17 x 11				M									
			3R11184		18 x 12				M									
			3R11177	Warm White	8.5 x 11					M								
3R11181	17 x 11					M												
3R11185	18 x 12					M												
Xerox Digital Color Silk Coated Text and Covers (C2S)	Heavyweight	120gsm/ 80lb	3R11354	Silk Text	8.5 x 11					M		Side 2- Heavyweight Mode. Replaced Color Xpressions Matte Coated Text. ECF						
			3R11355		17 x 11				M									
			3R11356		18 x 12				M									
	Heavyweight	140gsm/ 100lb	3R11360	Silk Text	8.5 x 11					M								
			3R11361		17 x 11				M									
			3R11362		18 x 12				M									
	Extra Heavyweight	210gsm/ 80lb	3R11357	Silk Cover	8.5 x 11					M		Side 2- Extra Heavyweight Mode. Replaced Color Xpressions Matte Coated Cover. ECF						
			3R11358		17 x 11				M									
			3R11359		18 x 12				M									
Xerox Digital Color Gloss Coated Text and Covers (C2S)	Heavyweight	120gsm/ 80lb	3R11330	Gloss Text	8.5 x 11					M		Side 2-Heavyweight Mode. Replaced Color Xpressions Gloss Coated Text. ECF						
			3R11331		17 x 11				M									
			3R11332		18 x 12				M									
	Heavyweight	140gsm/ 100lb	3R11336	Gloss Text	8.5 x 11					M		Side 2-Heavyweight Mode. Replaced Color Xpressions Gloss Coated Text. ECF						
			3R11337		17 x 11				M									
			3R11338		18 x 12				M									
	Extra Heavyweight	210gsm/ 80lb	3R11333	Gloss Cover	8.5 x 11					M		Side 2- Extra Heavyweight Mode. Replaced Color Xpressions Gloss Coated Cover. ECF						
			3R11334		17 x 11				M									
			3R11335		18 x 12				M									

Tray 1: Normal Mode (64-105 gsm) <input type="checkbox"/> Trays 2,3,& 4: Normal (64-105gsm) <input type="checkbox"/> Heavyweight (106-128gsm) <input type="checkbox"/> Tray 5: Normal (64-105gsm) <input type="checkbox"/> Heavyweight (106-163gsm) <input type="checkbox"/> Extra Heavyweight (164-250gsm) <input type="checkbox"/> Transparency <input type="checkbox"/> Tray 6 (HCF): Normal (64-105gsm) <input type="checkbox"/> Heavyweight (106-163gsm) <input type="checkbox"/>						DC12 LP/ CP DCCS50		A= Auto Duplex M=Manual duplex S=Simplex Only PCW=Post Consumer Waste ECF=Elemental Chlorine Free						Tray 5 Tip for Extra Heavyweight Paper: Select Short Edge Feed (SEF), if media jams on Long Edge Feed (LEF).
Media	Mode	Weight	Re-Order #	Type	Size			Trays						HCF
							1	2	3	4	5	6		
Xerox Digital Color Super Gloss Coated Covers (C1S)	Heavyweight	8pt./ 160gsm	3R6290	8.5 x 11							M		Side 2-Heavyweight Mode. Limited duplex with text or low toner coverage on uncoated side first. ECF	
			3R6291							M				
			3R6292							M				
	Extra Heavyweight	10pt./ 210gsm	3R6293	8.5 x 11							M		Side 2- Extra Heavyweight Mode. Limited Duplex with Text or low area coverage on uncoated side first. ECF	
			3R6294							M				
			3R6295							M				
	Extra Heavyweight	12pt./ 250gsm	3R6350	8.5 x 11							M			
			3R6351							M				
			3R6352							M				
Xerox Digital Color Supreme Gloss Coated Covers (C1S)	Heavyweight	8pt./ 160gsm	3R11430	8.5 x 11							M		Side 2-Heavyweight Mode. Limited duplex with text or low toner coverage on uncoated side first.	
			3R11431							M				
			3R11432							M				
	Extra Heavyweight	10pt./ 210gsm	3R11434	8.5 x 11							M		Side 2- Extra Heavyweight Mode. Limited Duplex with Text or low area coverage on uncoated side first.	
			3R11435							M				
			3R11436							M				
	Extra Heavyweight	12pt./ 250gsm	3R11438	8.5 x 11							M			
			3R11439							M				
			3R11440							M				
Xerox Digital Color Supreme Gloss Recycled (C1S)	Heavyweight	8pt./ 160gsm	3R11189	8.5 x 11							M		Side 2-Heavyweight Mode. Limited duplex with text or low toner coverage on uncoated side first.	
			3R11190							M				
			3R11191							M				
	Extra Heavyweight	10pt./ 210gsm	3R11192	8.5 x 11							M		Side 2- Extra Heavyweight Mode. Limited Duplex with Text or low area coverage on uncoated side first.	
			3R11193							M				
			3R11194							M				
	Extra Heavyweight	12pt./ 250gsm	3R11195	8.5 x 11							M			
			3R11196							M				
			3R11197							M				
Xerox Digital Colour Coated Cover (C1S)- Xerox Canada Only	Heavyweight	8pt./ 160gsm	3R13031	8.5 x 11							M		Side 2-Heavyweight Mode. Limited duplex with text or low toner coverage on uncoated side first.	
			3R13032							M				
			3R13033							M				
	Extra Heavyweight	10pt./ 210gsm	3R13034	8.5 x 11							M		Side 2-Extra Heavyweight Mode. Limited duplex with text or low toner coverage on uncoated side first.	
			3R13035							M				
			3R13036							M				
Xerox Digital Color Dura Paper	Heavyweight	10 mil	3R12064	8.5 x 11							M		Side 2-Heavyweight Mode / Single Sheet Feed in Manual Duplex. Best results with Sorter or Finisher.	
			3R12063							M				
			3R12065 (3 Hole)							M				

Tray 1: Normal Mode (64-105 gsm) <input type="checkbox"/> Trays 2,3,& 4: Normal (64-105gsm) <input type="checkbox"/> Heavyweight (106-128gsm) <input type="checkbox"/> Tray 5: Normal (64-105gsm) <input type="checkbox"/> Heavyweight (106-163gsm) <input type="checkbox"/> Extra Heavyweight (164-250gsm) <input type="checkbox"/> Transparency <input type="checkbox"/> Tray 6 (HCF): Normal (64-105gsm) <input type="checkbox"/> Heavyweight (106-163gsm) <input type="checkbox"/>				DC12 LP/ CP DCCS50		A= Auto Duplex M=Manual duplex S=Simplex Only PCW=Post Consumer Waste ECF=Elemental Chlorine Free						Tray 5 Tip for Extra Heavyweight Paper: Select Short Edge Feed (SEF), if media jams on Long Edge Feed (LEF).		
Media	Mode	Weight	Re-Order #			Type	Size	Trays						HCF
							1	2	3	4	5	6		
Xerox Digital Color Super Gloss Trifold Brochure (C1S)	Heavyweight	160gsm	3R6348		8.5 x 11						M		Side 2- Heavyweight Mode. Duplex text or light area coverage/ Print on uncoated side first.	
Xerox Digital Color Trifold Brochures	Heavyweight Mode	120gsm / 32lb	3R12310		8.5 X 11						M		Short Edge Feed in the Bypass Tray.	
Xerox Digital Color Super Gloss Greeting Card (C1S)	Extra Heavyweight	10pt./ 210gsm	3R6340		8.5 x 11						M		Side 2- Extra Heavyweight Mode. Duplex text or light area coverage/ Print on uncoated side first.	
Xerox Index Stock	Heavyweight	163gsm/ 90lb	3R3004 3R5102		8.5 x 11 11 x 17						M M		Side 2- Heavyweight Mode. Black/ White Copies Only.	
Xerox One- Step Transfer Paper	Heavyweight		3R5811 3R5812		8.5 x 11 11 x 17						S S			
Xerox Digital Color Xpressions Gloss Coated Labels	Heavyweight		3R12370	1-up	8.5 x 11		S	S	S				Trays 2,3, & 4 must be set for heavyweight mode. Load labels, image side face down in the tray, long edge feed (LEF).	
			3R5770	1-up	8.5 x 11		S	S	S					
			3R5771	4-up	8.5 x 11		S	S	S					
			3R6324	10-up	8.5 x 11		S	S	S					
			3R6325	30-up	8.5 x 11		S	S	S					
			3R6320	VCR	8.5 x 11		S	S	S					
			3R6322	CDR	8.5 x 11		S	S	S					
	3R12372	6 up CDR	11 x 17		S	S	S							
Xerox Digital Color Xpressions Matte Coated Labels	Heavyweight		3R12371	1-up	8.5 x 11		S	S	S				Trays 2,3, & 4 must be set for heavyweight mode in order to run labels. Load labels, image side face down in the tray, long edge feed (LEF). ECF	
			3R5772	1-up	8.5 x 11		S	S	S					
			3R5773	4-up	8.5 x 11		S	S	S					
			3R6332	10-up	8.5 x 11		S	S	S					
			3R6333	30-up	8.5 x 11		S	S	S					
			3R6330	CDR	8.5 x 11		S	S	S					
	3R12373	6 up CDR	11 x 17		S	S	S							
Xerox High Speed Labels	Heavyweight		3R4476	1-up	8.5 x 11		S	S	S				Trays 2,3, & 4 must be set for heavyweight mode in order to run labels. Load labels, image side face down in the tray, long edge feed (LEF). Black &White Copies Only.	
			3R4475	8-up	8.5 x 11		S	S	S					
			3R5719	14-up	8.5 x 11		S	S	S					
			3R4474	24-up	8.5 x 11		S	S	S					
			3R3139	33-up	8.5 x 11		S	S	S					
Xerox Digital Color Window Decals	Heavyweight		3R6339	Clear	8.5 x 11						S		Color Copies Only.	
			3R12059	Opaque	8.5 x 11						S			
			3R12315	Opaque	11 x 17						S			

Media						Trays						HCF	Additional Information
Media	Mode	Weight	Re-Order #	Type	Size	1	2	3	4	5	6		
<p>Tray 1: Normal Mode (64-105gsm) <input type="checkbox"/></p> <p>Trays 2,3,& 4: Normal (64-105gsm) <input type="checkbox"/> Heavyweight (106-128gsm) <input type="checkbox"/></p> <p>Tray 5: Normal (64-105gsm) <input type="checkbox"/> Heavyweight (106-163gsm) <input type="checkbox"/></p> <p>Extra Heavyweight (164-250gsm) <input type="checkbox"/> Transparency <input type="checkbox"/></p> <p>Tray 6 (HCF): Normal (64-105gsm) <input type="checkbox"/> Heavyweight (106-163gsm) <input type="checkbox"/></p>													
DC12 LP/ CP DCCS50						<p>A= Auto Duplex M=Manual duplex S=Simplex Only PCW=Post Consumer Waste ECF=Elemental Chlorine Free</p>						<p>Tray 5 Tip for Extra Heavyweight Paper: Select Short Edge Feed (SEF), if media jams on Long Edge Feed (LEF).</p>	
Xerox Digital Color Transparency	Transparency Mode		3R5765		8.5 x 11					S			
Xerox Removable Stripe Transparency	Transparency Mode		3R5821		11 x 17					S			
Xerox Digital Color Photo Glossy Paper	Extra Heavyweight	245 gsm	3R12155		8.5 x 11					S		For use ONLY with Pixography system. **See Appendix A for detailed instructions. PCW=10%	
			3R12156		17 x 11					S			
Xerox Imation Matchprint™ Color Laser Proofing Paper	Extra Heavyweight	245 gsm	3R12266	commercial white	18 x 12					S		For use Only with the Matchprint Professional Server, and the Xerox DC12 Color Proofing Solution. **See Appendix B for a instruction sheet. Short edge feed (SEF) in bypass tray. Color Copies Only.	
			3R12267	super white	18 x 12					S			
			3R12271	publication white	18 x 12					S			
Xerox Digital Color High Gloss Folder (C2S)	Extra Heavyweight	176 gsm	3R5570		9.25 x 11.75					S		For Fiery, select Custom Page Size Definition for printing.	
Xerox Digital Color High Capacity Folder (C1S)	Extra Heavyweight	10pt. / 210gsm	3R12313		9.5 x 11.75					S		For Fiery, select Custom Page Size Definition for printing.	
Xerox Digital Metallic Covers	Extra Heavyweight	213 gsm	3R12311	Silver	8.5 x 11					S			
Xerox Carbonless Paper	Normal	82gsm	2pt 3R12374 3pt 3R12380 4pt 3R12385	Straight Collated	8.5 x 11	S	S	S	S		S	Images printed on Xerox Carbonless Paper are not expected to match the quality of images printed on smooth, bright white paper	